TO THE PATIENT: You have the right, as a patient, to be informed about your condition and the recommended surgical, medical, or diagnostic procedure to be used so that you may make the decision whether or not to undergo the procedure after knowing the risks and hazards involved. This disclosure is not meant to scare or alarm you; it is simply an effort to make you better informed so you may give or withhold your consent to the procedure.

\_\_\_\_\_as my physician, and such associates as he/she I (we) voluntarily request Dr. may deem necessary (for example anesthesia providers, educational assistants, and other health care providers who are identified and their professional role explained to me) to treat my condition. My condition has been explained to me as:

(Condition to be treated)

I (we) understand that the following surgical, medical, and/or diagnostic procedures are planned for me and I (we) voluntarily consent and authorize these procedure(s):

(Procedures)

I (we) understand that my physician may discover other or different conditions which require additional procedures than those planned. I (we) authorize my physician, and any associates, technical assistants and other health care providers to perform such other procedures which are advisable in their professional judgment.

I (we) understand that these qualified medical practitioners may be performing significant tasks related to the surgery such as opening or closing incisions, harvesting or dissecting tissue, altering tissue, implanting devices, tissue removal or photography during procedures.

Initial

Do Do Not Consent to the use of blood and blood products as considered necessary. l (we) Benefits, risks, alternatives and the risks and benefits of alternatives have been discussed and I (we) have been given the opportunity to ask questions.

### **TEXAS MEDICAL DISCLOSURE** Hematic and lymphatic system



1. Transfusion of blood and blood components.

- 1. Fever.
- 2. Transfusion reaction which may include failure or anemia
- 3. Heart failure
- 4. Hepatitis
- 5. AIDS (Acquired Immune Deficiency Syndrome)
- 6. Other infections

Medical City Plano	3901 West 15th Street Plano, Texas 75075 (972) 596-6800	PATIENT IDENTIFICATION
DISCLOSURE A MEDICAL AN		
	MCP-FF704OSC-004P1 (Rev. 09/23) Page 1 of 3	

#### Initial

Just as there may be risks and hazards in continuing my present condition without treatment, there are also

risks and hazards related to the performance of the surgical, medical, and/or diagnostic procedures planned for me, such as the potential for infection, blood clots in veins and lungs, hemorrhage, allergic reactions and even death. I (we) also realize that the following specific risks and hazards may occur in connection with this particular procedure(s):

Initial

I (we) Do 🗌 Do Not 🗌 consent to have one or more manufacturer's technical representatives, as

requested by my physician, in the room during the procedure. I understand that one or more representatives from the equipment and/or supply company for the products that the physician will use during my procedure, may be present for the procedure but will not perform any portion of the procedure. I further understand that all manufacturer's technical representatives present have confidentiality agreements and that none of the my personal health information will be disclosed to anyone other than my caregivers within this hospital.

I (we) consent to the disposal by hospital authorities of any tissue or parts which may be removed.

I (we) have been given the opportunity to ask questions about my current condition(s), the proposed procedure(s), the benefits, the likelihood of success, the possible problems related to recovery, the possible risks of nontreatment of my condition, and other alternative forms of treatment, and the risks and benefits of alternatives involved. I (we) understand that no warranty or guarantee has been made to me as to result or cure. Any professional/business relationship between my health care providers, the hospital and educational institutions has been explained to me.

I (we) certify this form has been fully explained to me, that I (we) have read it or have had it read to me (us), that the blank spaces have been filled in, and that I (we) understand its contents. I (we) believe that I (we) have sufficient information to give this informed consent and I (we) request the procedure(s) to be done.

Patient's Signature	Date	Time	Other Legally Responsible Person's Signature Medical City Plano, 3901 West 15th Other:	Relationship Street, Plano, TX 75	Date	Time
Witness Signature/Title/Position	Date	Time	Witness Work Address			
Interpreter			Reason:			

I have provided the patient/parent/guardian with information on risks, benefits, and alternatives to treatment as outlined in the above within my area of expertise.

 

 Physician Signature Responsible for Procedure
 Date
 Time

 Medical City Plano
 3901 West 15th Street Plano, Texas 75075 (972) 596-6800
 PATIENT IDENTIFICATION

 Disclosure and consent -MEDICAL AND SURGICAL
 MCP-FF7040SC-004P2 (Rev. 09/23) Page 2 of 3

#### Anesthesia Consent

**TO THE PATIENT:** You have the right, as a patient, to be informed about your condition and the recommended anesthesia/analgesia to be used so that you may make the decision whether or not to receive the anesthesia/analgesia after knowing the risks and hazards involved. This disclosure is not meant to scare or alarm you; it is simply an effort to make you better informed so that you may give or withhold your consent to the anesthesia/analgesia.

I (we) understand that anesthesia involves additional risks and hazards, but I (we) request the use of anesthetics for the relief and protection from pain during the planned and additional procedures. I (we) realize the anesthesia may have to be changed possibly without explanation to me (us).

I (we) understand that serious but rare complications may result from the use of any anesthetic including respiratory problems, drug reactions, paralysis, brain damage or even death.

I (we) voluntarily request that anesthesia and/or perioperative pain management care (analgesia) as indicated below be administered to me (the patient). I understand it will be administered by an anesthesia provider and/or the operating practitioner, and such other health care providers are necessary. Perioperative means the period shortly before, during or shortly after the procedure. I also understand that other complications may occur. Those complications include but are not limited to:

Check planned anesthesia/analgesia method(s) and have the patient/other legally responsible person initial.

General Anesthesia - injury to vocal cords, teeth, lips, eyes; awareness during the procedure; memory dysfunction/memory loss; permanent organ damage; brain damage.

**Regional Block Anesthesia/Analgesia -** nerve damage; persistent pain; bleeding/hematoma; infection; medical necessity to convert to general anesthesia; brain damage.

Spinal Anesthesia/Analgesia - nerve damage; persistent back pain; headache; infection; bleeding/epidural hematoma; chronic pain; medical necessity to convert to general anesthesia; brain damage.

**Epidural Anesthesia/Analgesia -** nerve damage; persistent back pain; headache; infection; bleeding/epidural hematoma; chronic pain; medical necessity to convert to general anesthesia; brain damage.

Monitored Anesthesia Care - memory dysfunction/memory loss; medical necessity to convert to general anesthesia; permanent organ damage; brain damage.

Deep Sedation - memory dysfunction/memory loss; medical necessity to convert to general anesthesia; permanent organ damage; brain damage.

Moderate Sedation - memory dysfunction/memory loss; medical necessity to convert to general anesthesia; permanent organ damage; brain damage.

\_\_\_\_\_ OTHER - Including possible complications (required): \_\_\_\_\_

ADDITIONAL COMMENTS/RISKS:

**PRENATAL/EARLY CHILDHOOD ANESTHESIA** - potential long-term negative effects on memory, behavior, and learning with prolonged or repeated exposure to general anesthesia/moderate sedation during pregnancy and in early childhood.

Additional Comments/Risks: \_

I (we) have been given an opportunity to ask questions about my condition, benefits, risks, alternatives and the risks and benefits of alternative forms of anesthesia and treatment, risks and benefits of non-treatment, the procedures to be used, and the risks and hazards involved. I (we) have sufficient information to give this informed consent.

I (we) certify this form has been fully explained to me, that I (we) have read it or have had it read to me, that the blank spaces have been filled in, and that I (we) understand the contents.

I (we) understand that no promises have been made to me as to the result of anesthesia/analgesia methods.

Patient's Signature	Date	Time	Other Legally Responsible Person's Signature Medical City Plano, 3901 West 15th Stree Other:	Relationship eet, Plano, TX 75075	Date	Time
Witness Signature/Title/Position	Date	Time	Witness Work Address			

Reason:

Interpreter

The risks, benefits, and alternatives have been explained and the patient/family understand(s) and agree(s) to the procedure.

Signature of Physician / Procedurali	st responsible for Anesthesia:		Date:	Time:
Medical City Plano	3901 West 15th Street Plano, Texas 75075 (972) 596-6800	PATIENT IDENTIFICATION		
DISCLOSURE A MEDICAL AN	ND CONSENT - D SURGICAL			
	MCP-FF704OSC-004P3 (Rev. 09/23) Page 3 of 3			

# (Rev. 2020)

## LIST A TEXAS MEDICAL DISCLOSURE

Procedures requiring full disclosure (List A). The following treatments and procedures require full disclosure by the physician or health care provider to the patient or person authorized to consent for the patient.

authorized to consent for the patient.	spread of cancer.
Patient to initial appropriate square. FEMALE GENITAL SYSTEM TREATMENTS AND PROCEDUR	<ul> <li>(4) Uterine suspension.</li> <li>(A) Uncontrollable leakage of urine.</li> <li>(B) Injury to bladder.</li> <li>(C) Injury to the tube (ureter) between the kidney and the</li> </ul>
<ul> <li>(1) Hysterectomy (abdominal and vaginal).</li> <li>(A) Uncontrollable leakage of urine.</li> <li>(B) Injury to bladder.</li> </ul>	(D) Injury to the bowel and/or intestinal obstruction.
<ul> <li>(C) Injury to bladder.</li> <li>(C) Injury to the tube (ureter) between the kidney and the bladder.</li> <li>(D) Injury to the bowel and/or intestinal obstruction.</li> <li>(E) Need to covert to abdominal incision</li> <li>(F) If laparoscopic surgery is utilized, include the following risks: <ul> <li>(i) Damage during introduction of trocar to adjacent intra-abdominal structures and organs (e.g., bowel, bladder, blood vessels, or nerves) and potential need for additional surgery.</li> <li>(ii) Trocar site complications (e.g., hematoma, bleeding, leakage of fluid, or hernia formation).</li> <li>(iii) Air embolus (bubble causing heart failure or stroke).</li> <li>(iv) Change during the procedure to an open procedure.</li> <li>(v) If cancer is present, may increase the risk of the spread of cancer.</li> </ul> </li> </ul>	<ul> <li>(5) Removal of the nerves to the uterus (presacral neurectomy).         <ul> <li>(A) Uncontrollable leakage of urine.</li> <li>(B) Injury to bladder.</li> <li>(C) Injury to the tube (ureter) between the kidney and the bladder.</li> <li>(D) Injury to the bowel and/or intestinal obstruction.</li> <li>(E) Hemorrhage (severe bleeding).</li> </ul> </li> <li>(6) Removal of the cervix.         <ul> <li>(A) Uncontrollable leakage of urine.</li> <li>(B) Injury to bladder.</li> <li>(C) Sterility.</li> <li>(D) Injury to the tube (ureter) between the kidney and the bladder.</li> <li>(E) Injury to the bowel and/or intestinal obstruction.</li> <li>(F) Need to convert to abdominal incision.</li> </ul> </li> </ul>
<ul> <li>(2) All fallopian tube and ovarian surgery with or without hysterectomy, including removal and lysis of adhesions.</li> <li>(A) Injury to the bowel and/or bladder.</li> <li>(B) Sterility.</li> <li>(C) Failure to obtain fertility (if applicable).</li> <li>(D) Failure to obtain sterility (if applicable).</li> <li>(E) Loss of ovarian functions or hormone production from ovary(ies).</li> <li>(F) If performed with hysterectomy, all associated risks under paragraph (1) of this subsection.</li> <li>(G) For fallopian tube occlusion (for sterilization with or without hysterectom).</li> </ul>	<ul> <li>(7) Repair of vaginal hernia (anterior and/or posterior colporrhaphy and/or enterocele repair).</li> <li>(A) Uncontrollable leakage of urine.</li> <li>(B) Injury to bladder.</li> <li>(C) Sterility.</li> <li>(D) Injury to the tube (ureter) between the kidney and the bladder.</li> <li>(E) Injury to the bowel and/or intestinal obstruction.</li> <li>(F) Mesh erosion (with damage to vagina and adjacent tissue).</li> <li>(8) Abdominal suspension of the bladder</li> </ul>
<ul> <li>without hysterectomy), see subparagraph (14) of this paragraph.</li> <li>(3) Removing fibroids (uterine myomectomy).</li> <li>(A) Injury to bladder.</li> <li>(B) Sterility.</li> <li>(C) Injury to the tube (ureter) between the kidney and the bladder.</li> <li>(D) Injury to the bowel and/or intestinal obstruction.</li> <li>(E) May need to convert to hysterectomy.</li> <li>(F) If laparoscopic surgery is utilized, include the following risks: <ul> <li>(i) Damage during introduction of trocar to adjacent</li> </ul> </li> </ul>	<ul> <li>(retropubic urethropexy).         <ul> <li>(A) Uncontrollable leakage of urine.</li> <li>(B) Injury to bladder.</li> <li>(C) Injury to the tube (ureter) between the kidney and the bladder.</li> <li>(D) Injury to the bowel and/or intestinal obstruction.</li> </ul> </li> <li>(9) Conization of cervix.         <ul> <li>(A) Hemorrhage (severe bleeding) which may result in hysterectomy.</li> <li>(B) Sterility.</li> <li>(C) Injury to bladder.</li> <li>(D) Injury to rectum.</li> </ul> </li> </ul>
Medical City Plano, Texas 75075 (972) 596-6800	PATIENT IDENTIFICATION
FEMALE GENITAL SYSTEM TREATMENTS AND	
PROCEDURES	

intra-abdominal structures and organs (e.g., bowel, bladder, blood vessels, or nerves) and potential need for

leakage of fluid, or hernia formation).

(ii) Trocar site complications (e.g., hematoma, bleeding,

(iii) Air embolus (bubble causing heart failure or stroke).

(iv) Change during the procedure to an open procedure.(v) If cancer is present, may increase the risk of the

additional surgery.



<ul> <li>(10) Dilation and curettage of uterus (diagnostic/therapeutic).</li> <li>(A) Possible hysterectomy.</li> <li>(B) Perforation (hole) created in the uterus.</li> <li>(C) Sterility.</li> <li>(D) Injury to bowel and/or bladder.</li> <li>(E) Abdominal incision and operation to constrain (11) Surgical abortion/dilation and curettage/dilation and evacuation.</li> </ul>		
<ul> <li>(A) Possible hysterectomy.</li> <li>(B) Perforation (hole) created in the uterus.</li> <li>(C) Sterility.</li> <li>(D) Injury to the bowel and/or bladder.</li> <li>(E) Abdominal incision and operation to condition (F) Failure to remove all products of concentration.</li> </ul>	rrect injury.	
<ul> <li>(12) Medical abortion/non-surgical.</li> <li>(A) Hemorrhage with possible need for surgical (B) Failure to remove all products of concered (C) Sterility.</li> </ul>	ption.	
<ul> <li>(13) Selective salpingography and the reconstruction.</li> <li>(A) Perforation (hole) created in the uterus (B) Future ectopic pregnancy (pregnancy or uterus).</li> <li>(C) Pelvic infection.</li> </ul>	or Fallopian tube.	
<ul> <li>(14) Fallopian tube occlusion (for state or without hysterectomy).</li> <li>(A) Perforation (hole) created in the uterus</li> <li>(B) Future ectopic pregnancy (pregnancy or uterus).</li> <li>(C) Pelvic infection.</li> <li>(D) Failure to obtain sterility.</li> </ul>	or Fallopian tube.	
<ul> <li>(15) Hysteroscopy.</li> <li>(A) Perforation (hole) created in the uterus.</li> <li>(B) Fluid overload/electrolyte imbalance.</li> <li>(C) Possible hysterectomy.</li> <li>(D) Abdominal incision to correct injury.</li> </ul>		
<b>Nedical City</b> Plano,	est 15th Street Texas 75075 ) 596-6800	PATIENT IDENTIFICATION

FEMALE GENITAL SYSTEM TREATMENTS AND PROCEDURES

