

**TO THE PATIENT:** You have the right, as a patient, to be informed about your condition and the recommended surgical, medical, or diagnostic procedure to be used so that you may make the decision whether or not to undergo the procedure after knowing the risks and hazards involved. This disclosure is not meant to scare or alarm you; it is simply an effort to make you better informed so you may give or withhold your consent to the procedure.

I (we) voluntarily request Dr. \_\_\_\_\_ as my physician, and such associates as he/she may deem necessary (for example anesthesia providers, educational assistants, and other health care providers who are identified and their professional role explained to me) to treat my condition. My condition has been explained to me as:

(Condition to be treated)

I (we) understand that the following surgical, medical, and/or diagnostic procedures are planned for me and I (we) voluntarily consent and authorize these procedure(s):

(Procedures)

I (we) understand that my physician may discover other or different conditions which require additional procedures than those planned. I (we) authorize my physician, and any associates, technical assistants and other health care providers to perform such other procedures which are advisable in their professional judgment.

I (we) understand that these qualified medical practitioners may be performing significant tasks related to the surgery such as opening or closing incisions, harvesting or dissecting tissue, altering tissue, implanting devices, tissue removal or photography during procedures.

☐ Initial

I (we) Do ☐ Do Not ☐ consent to the use of blood and blood products as considered necessary. *Benefits, risks, alternatives and the risks and benefits of alternatives have been discussed and I (we) have been given the opportunity to ask questions.*

**TEXAS MEDICAL DISCLOSURE**  
**Hematic and lymphatic system**

☐

**1. Transfusion of blood and blood components.**

1. Fever.
2. Transfusion reaction which may include failure or anemia
3. Heart failure
4. Hepatitis
5. AIDS (Acquired Immune Deficiency Syndrome)
6. Other infections



3901 West 15th Street  
Plano, Texas 75075  
(972) 596-6800

**DISCLOSURE AND CONSENT -  
MEDICAL AND SURGICAL**



★ T R E A T ★

PATIENT IDENTIFICATION

Initial

Just as there may be risks and hazards in continuing my present condition without treatment, there are also risks and hazards related to the performance of the surgical, medical, and/or diagnostic procedures planned for me, such as the potential for infection, blood clots in veins and lungs, hemorrhage, allergic reactions and even death. I (we) also realize that the following specific risks and hazards may occur in connection with this particular procedure(s):

Initial

I (we) Do ☐ Do Not ☐ consent to have one or more manufacturer's technical representatives, as requested by my physician, in the room during the procedure. I understand that one or more representatives from the equipment and/or supply company for the products that the physician will use during my procedure, may be present for the procedure but will not perform any portion of the procedure. I further understand that all manufacturer's technical representatives present have confidentiality agreements and that none of the my personal health information will be disclosed to anyone other than my caregivers within this hospital.

I (we) consent to the disposal by hospital authorities of any tissue or parts which may be removed.


I (we) have been given the opportunity to ask questions about my current condition(s), the proposed procedure(s), the benefits, the likelihood of success, the possible problems related to recovery, the possible risks of nontreatment of my condition, and other alternative forms of treatment, and the risks and benefits of alternatives involved. I (we) understand that no warranty or guarantee has been made to me as to result or cure. Any professional/business relationship between my health care providers, the hospital and educational institutions has been explained to me.

I (we) certify this form has been fully explained to me, that I (we) have read it or have had it read to me (us), that the blank spaces have been filled in, and that I (we) understand its contents. I (we) believe that I (we) have sufficient information to give this informed consent and I (we) request the procedure(s) to be done.

Patient's Signature	Date	Time	Other Legally Responsible Person's Signature	Relationship	Date	Time
			<input type="checkbox"/> Medical City Plano, 3901 West 15th Street, Plano, TX 75075			
			<input type="checkbox"/> Other:			
Witness Signature/Title/Position	Date	Time	Witness Work Address			
Interpreter			Reason:			


I have provided the patient/parent/guardian with information on risks, benefits, and alternatives to treatment as outlined in the above within my area of expertise.

Physician Signature	Date	Time
Responsible for Procedure		



3901 West 15th Street  
Plano, Texas 75075  
(972) 596-6800

DISCLOSURE AND CONSENT -  
MEDICAL AND SURGICAL



\* T R E A T \*

PATIENT IDENTIFICATION

## Anesthesia Consent

**TO THE PATIENT:** You have the right, as a patient, to be informed about your condition and the recommended anesthesia/analgesia to be used so that you may make the decision whether or not to receive the anesthesia/analgesia after knowing the risks and hazards involved. This disclosure is not meant to scare or alarm you; it is simply an effort to make you better informed so that you may give or withhold your consent to the anesthesia/analgesia.

I (we) understand that anesthesia involves additional risks and hazards, but I (we) request the use of anesthetics for the relief and protection from pain during the planned and additional procedures. I (we) realize the anesthesia may have to be changed possibly without explanation to me (us).

I (we) understand that serious but rare complications may result from the use of any anesthetic including respiratory problems, drug reactions, paralysis, brain damage or even death.

I (we) voluntarily request that anesthesia and/or perioperative pain management care (analgesia) as indicated below be administered to me (the patient). I understand it will be administered by an anesthesia provider and/or the operating practitioner, and such other health care providers are necessary. Perioperative means the period shortly before, during or shortly after the procedure. I also understand that other complications may occur. Those complications include but are not limited to:

Check planned anesthesia/analgesia method(s) and have the patient/other legally responsible person initial.

- ☐ **General Anesthesia** - injury to vocal cords, teeth, lips, eyes; awareness during the procedure; memory dysfunction/memory loss; permanent organ damage; brain damage.
- ☐ **Regional Block Anesthesia/Analgesia** - nerve damage; persistent pain; bleeding/hematoma; infection; medical necessity to convert to general anesthesia; brain damage.
- ☐ **Spinal Anesthesia/Analgesia** - nerve damage; persistent back pain; headache; infection; bleeding/epidural hematoma; chronic pain; medical necessity to convert to general anesthesia; brain damage.
- ☐ **Epidural Anesthesia/Analgesia** - nerve damage; persistent back pain; headache; infection; bleeding/epidural hematoma; chronic pain; medical necessity to convert to general anesthesia; brain damage.
- ☐ **Monitored Anesthesia Care** - memory dysfunction/memory loss; medical necessity to convert to general anesthesia; permanent organ damage; brain damage.
- ☐ **Deep Sedation** - memory dysfunction/memory loss; medical necessity to convert to general anesthesia; permanent organ damage; brain damage.
- ☐ **Moderate Sedation** - memory dysfunction/memory loss; medical necessity to convert to general anesthesia; permanent organ damage; brain damage.
- ☐ **OTHER** - Including possible complications (required): \_\_\_\_\_

### ADDITIONAL COMMENTS/RISKS:

- ☐ **PRENATAL/EARLY CHILDHOOD ANESTHESIA** - potential long-term negative effects on memory, behavior, and learning with prolonged or repeated exposure to general anesthesia/moderate sedation during pregnancy and in early childhood.

Additional Comments/Risks: \_\_\_\_\_

I (we) have been given an opportunity to ask questions about my condition, benefits, risks, alternatives and the risks and benefits of alternative forms of anesthesia and treatment, risks and benefits of non-treatment, the procedures to be used, and the risks and hazards involved. I (we) have sufficient information to give this informed consent.

I (we) certify this form has been fully explained to me, that I (we) have read it or have had it read to me, that the blank spaces have been filled in, and that I (we) understand the contents.

I (we) understand that no promises have been made to me as to the result of anesthesia/analgesia methods.

Patient's Signature \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

Other Legally Responsible Person's Signature \_\_\_\_\_ Relationship \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

☐ Medical City Plano, 3901 West 15th Street, Plano, TX 75075

☐ Other: \_\_\_\_\_

Witness Signature/Title/Position \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

Witness Work Address \_\_\_\_\_

Reason: \_\_\_\_\_

Interpreter \_\_\_\_\_

The risks, benefits, and alternatives have been explained and the patient/family understand(s) and agree(s) to the procedure.

Signature of Physician / Proceduralist responsible for Anesthesia: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_



3901 West 15th Street  
Plano, Texas 75075  
(972) 596-6800

### DISCLOSURE AND CONSENT - MEDICAL AND SURGICAL



\* T R E A T \*

PATIENT IDENTIFICATION

# LIST A TEXAS MEDICAL DISCLOSURE

(Rev. 2022)

**Procedures requiring full disclosure (List A). The following treatments and procedures require full disclosure by the physician or health care provider to the patient or person authorized to consent for the patient.**

## Patient to initial appropriate square.

### RESPIRATORY SYSTEM TREATMENTS AND PROCEDURES

- ☐ (1) **Biopsy and/or excision (removal) of lesion of larynx, vocal cords, trachea.**  
(A) Loss or change of voice.  
(B) Swallowing or breathing difficulties.  
(C) Perforation (hole) or fistula (connection) in esophagus (tube from throat to stomach).

- ☐ (2) **Rhinoplasty (surgery to change the shape of the nose) or nasal reconstruction with or without nasal septoplasty (surgical procedure to remove blockage in or straighten the bone and cartilage dividing the space between the two nostrils).**  
(A) Deformity of skin, bone or cartilage.  
(B) Creation of new problems, such as perforation of the nasal septum (hole in wall between the right and left halves of the nose) or breathing difficulty.

- ☐ (3) **Submucous resection of nasal septum or nasal septoplasty (surgery to remove blockage in or straighten the bone and cartilage dividing the space between the two nostrils).**  
(A) Persistence, recurrence or worsening of the obstruction.  
(B) Perforation of nasal septum (hole in the bone and/or cartilage dividing the space between the right and left halves of the nose) with dryness and crusting.  
(C) External deformity of the nose.

- ☐ (4) **Sinus surgery/endoscopic sinus surgery.**  
(A) Spinal fluid leak.  
(B) Visual loss or other eye injury.  
(C) Numbness in front teeth and palate (top of mouth).  
(D) Loss or reduction in sense of taste or smell.  
(E) Recurrence of disease.  
(F) Empty Nose Syndrome (sensation of nasal congestion, sensation of not being able to take in adequate air through nose).  
(G) Injury to tear duct causing drainage of tears down the cheek.  
(H) Brain injury and/or infection.  
(I) Injury to nasal septum (the bone and cartilage dividing the space between the two nostrils).  
(J) Nasal obstruction.

- ☐ (5) **Lung biopsy (removal of small piece of tissue from inside of lung).**  
(A) Air leak with pneumothorax (leak of air from lung to inside of chest causing the lung to collapse) with need for insertion

of chest tube or repeat surgery.  
(B) Hemothorax (blood in the chest around the lung) possibly requiring additional procedures.  
(C) Hemoptysis (coughing up blood which can result in trouble breathing and the need to be placed on a ventilator or breathing machine and oxygen).

- ☐ (6) **Segmental resection of lung (removal of a portion of a lung).**  
(A) Hemothorax (blood in the chest around the lung).

- ☐ (7) **Thoracotomy (surgery to reach the inside of the chest).**  
(A) Hemothorax (blood in the chest around the lung).  
(B) Abscess (infected fluid collection) in chest.  
(C) Air leak with pneumothorax (leak of air from lung inside of chest causing the lung to collapse) with need for insertion of chest drainage tube into space between lung and chest wall or repeat surgery.  
(D) Need for additional surgery.

- ☐ (8) **VATS - video-assisted thoracoscopic surgery (camera-assisted surgery to reach the inside of the chest through small incisions).**  
(A) Hemothorax (blood in the chest around the lung).  
(B) Abscess (infected fluid collection) in chest.  
(C) Air leak with pneumothorax (leak of air from lung inside of chest causing the lung to collapse) with need for insertion of chest drainage tube into space between lung and chest wall or repeat surgery.  
(D) Need for additional surgery.  
(E) Need to convert to open surgery.

- ☐ (9) **Percutaneous (puncture through the skin instead of incision) or Open (surgical incision) tracheostomy.**  
(A) Loss of voice.  
(B) Breathing difficulties.  
(C) Pneumothorax (collapsed lung) with need for insertion of chest tube.  
(E) Scarring in trachea (windpipe).  
(F) Fistula (connection) between trachea into esophagus (tube from throat to stomach) or great vessels.  
(G) Bronchospasm (constriction of the airways leading to trouble breathing).  
(H) Hemoptysis (coughing up blood which can result in trouble breathing and the need to be placed on a ventilator or breathing machine and oxygen).

- ☐ (10) **Bronchoscopy (insertion of a camera into the airways of the neck and chest).**  
(A) Mucosal injury (damage to lining of airways) including perforation (hole in the airway).  
(B) Pneumothorax (collapsed lung) with need for insertion of chest tube.  
(C) Pneumomediastinum (air enters the space around the airways including the space around the heart).  
(D) Injury to vocal cords, laryngospasm (irritation/spasm of the vocal cords) or laryngeal edema (swelling of the vocal cords).  
(E) Bronchospasm (constriction of the airways leading to



3901 West 15th Street  
Plano, Texas 75075  
(972) 596-6800

PATIENT IDENTIFICATION

### DISCLOSURE AND CONSENT RESPIRATORY SYSTEM TREATMENTS AND PROCEDURES



trouble breathing).

(F) Hemoptysis (coughing up blood which can result in trouble breathing and the need to be placed on a ventilator or breathing machine and oxygen).

(C) Pneumothorax (collapsed lung).

(D) Tracheal injury (damage to the airway/windpipe).

**(11) Endobronchial valve placement (device inserted into airways in the lung that controls air movement into and out of abnormal portions of a lung).**

(A) Mucosal injury (damage to lining of airways) including perforation (hole in the airway).

(B) Pneumothorax (collapsed lung) with need for insertion of chest tube.

(C) Pneumomediastinum (air enters the space around the airways including the space around the heart).

(D) Injury to vocal cords, laryngospasm (irritation/spasm of the vocal cords) or laryngeal edema (swelling of the vocal cords).

(E) Migration (movement) of the stent from its original position.

(F) Airway blockage, potentially life threatening.

(G) Stent blockage.

(H) Worsening of chronic obstructive pulmonary disease (worsening of emphysema).

(I) Respiratory failure (need for breathing tube placement with ventilator support).

(J) Bronchospasm (constriction of the airways leading to trouble breathing).

(K) Hemoptysis (coughing up blood which can result in trouble breathing and the need to be placed on a ventilator or breathing machine and oxygen).

(L) Recurrent infections.

**(14) Pleurodesis (procedure to prevent fluid build-up in space between the lung and chest wall).**

(A) Respiratory failure (need for breathing tube placement).

(B) Empyema (infection/pus in the space around the lung).

**(12) Endobronchial balloon dilatation with or without stent placement (placement of tube to keep airway open).**

(A) Bronchial rupture (tearing of the airway) with need for additional surgery.

(B) Pneumothorax (collapsed lung) with need for insertion of chest tube.

(C) Pneumomediastinum (air enters the space around the airways including the space around the heart).

(D) Injury to vocal cords, laryngospasm (irritation/spasm of the vocal cords) or laryngeal edema (swelling of the vocal cords).

(E) Migration (movement) of the stent from its original position.

(F) Airway blockage, potentially life threatening.

(G) Stent blockage.

(H) Stent fracture (broken stent).

(I) Recurrent infections.

(J) Stent erosion into adjacent structures (stent wears a hole through the airway and injures nearby tissues).

(K) Hemoptysis (coughing up blood which can result in respiratory distress and the need to be placed on a ventilator or breathing machine and oxygen).

**(13) Mediastinoscopy (insertion of a camera into the space behind the breastbone and between the lungs) with or without biopsy (removal of tissue).**

(A) Hemorrhage (severe bleeding) requiring open surgery.

(B) Nerve injury causing vocal cord paralysis or poor function.



**Medical City**  
**Plano**

3901 West 15th Street  
Plano, Texas 75075  
(972) 596-6800

PATIENT IDENTIFICATION

**DISCLOSURE AND CONSENT**  
**RESPIRATORY SYSTEM TREATMENTS AND**  
**PROCEDURES**



\* T R E A T \*